



Tue 2021/06/01 13:09
Ntsanko Ndlovu <ntsanko.ndlovu@afrimat.co.za>
Invitation to Comment: RE: The proposed Midvaal Brick Manufacturing Facility, located in the town of Meyerton, Gauteng Province

To
Cc 'Tshepo Tsotetsi'; enviro@mpgenviro.co.za
You forwarded this message on 2021/11/08 10:44.

Dear interested and affected party

SA Block (Pty) Ltd, a subsidiary of Afrimat (Pty) Ltd, has applied for an Environmental Authorisation to for the proposed brick manufacturing facility, located in the town of Meyerton, Gauteng Province.

The Draft Basic Assessment Report and EMPr is available for your review and comment for a period of 30 days starting from today, Tuesday 01st June to Thursday 01st July 2021. Kindly click on the link below to access the documents:

<https://afrimat.co.za/index.php/sustainability/environmental-conservation/midvaal-block-manufacturing-facility>

Please participate by providing inputs on the **Draft Basic Assessment Report (BAR) and EMPr**, as well as provide suggestions related to the proposed development. The comments must please reach us by **Thursday 01st July 2021**. The Draft Basic Assessment report's appendices have been arranged as requested by the Basic Assessment Template provided by the Gauteng Department: Agriculture and Rural Development (GDARD). Please note that the following folders will be empty and the reasons have been provided below:

- Appendix B: Site photographs – currently experiencing technical issues, the site photos will be uploaded during the course of the week and stakeholders will be informed when uploaded
- Appendix D: Route position information N/A to the project
- Appendix E4: Correspondences with I&APs - N/A - No correspondence has been received yet
- Appendix E5: Minutes of any public and/or stakeholder meetings - N/A - No consultation meetings have been held yet
- Appendix E6 - Comments and Responses Report – N/A – No comment have been received yet
- Appendix E7: Comments from I&APs on Draft Basic Assessment (BA) Report - N/A – The review of the Draft BAR starts today, no comments have been received yet
- Appendix F: Water use license(s) authorisation, SAHRA information, service letters from municipalities, water supply information – N/A to the project

Should you have any questions or need additional information, please do not hesitate to contact us.

Your participation is crucial and will be highly appreciated.

Regards

Ntsanko Ndlovu
Group Environmental Specialist
EAPASA – 2019/1335 and Pri.Sci.Nat (127870)